



XpressMyco PCR Plus Detection Kit

Catalog No.: XMYCG-100

Mycoplasma Species/Strains Detected

| | |
|--|--|
| <i>Acholeplasma laidawii</i> | <i>Mycoplasma sp. Mirounga ES_AG_GEN</i> |
| <i>Mycoplasma verecundum</i> | <i>Mycoplasma sp. Mirounga ES-ORL</i> |
| <i>Mycoplasma verecundum strain ATCC</i> | <i>Mycoplasma pullorum</i> |
| <i>Mycoplasma gallisepticum strain XZA</i> | <i>Mycoplasma pullorum strain ATCC</i> |
| <i>Mycoplasma gallisepticum strain JXB</i> | <i>Mycoplasma gallopavonis strain WR</i> |
| <i>Mycoplasma gallisepticum strain YMC</i> | <i>Mycoplasma gallopavonis strain ATCC</i> |
| <i>Mycoplasma gallisepticum strain ML</i> | <i>Mycoplasma sp. CSL - oral</i> |
| <i>Mycoplasma gallisepticum strain WSA</i> | <i>Mycoplasma sp. CSL - conjunctiva</i> |
| <i>Mycoplasma gallisepticum strain JXA</i> | <i>Mycoplasma sp. CSL – lung</i> |
| <i>Mycoplasma gallisepticum strain WSB</i> | <i>Mycoplasma dispar strain ATCC</i> |
| <i>Mycoplasma gallisepticum strain XZC</i> | <i>Mycoplasma arthritidis strain</i> |
| <i>Mycoplasma gallisepticum strain F</i> | <i>Mycoplasma arthritidis strain ATCC</i> |
| <i>Mycoplasma gallisepticum strain MG-HS</i> | <i>Mycoplasma arthritidis L -</i> |
| <i>Mycoplasma gallisepticum strain YMA</i> | <i>Mycoplasma meleagridis</i> |
| <i>Mycoplasma gallisepticum strain XA</i> | <i>Mycoplasma meleagridis strain ATCC</i> |
| <i>Mycoplasma gypis</i> | <i>Mycoplasma iners strain PG</i> |
| <i>Mycoplasma gypis strain ATCC</i> | <i>Mycoplasma iners strain R – D -</i> |
| <i>Mycoplasma indienne</i> | <i>Mycoplasma iners strain D – E -</i> |
| <i>Mycoplasma gallinaceum</i> | <i>Mycoplasma iners strain ATCC</i> |
| <i>Mycoplasma gallinaceum strain SA</i> | <i>Mycoplasma fermentans M</i> |
| <i>Mycoplasma gallinaceum strain ATCC</i> | <i>Mycoplasma fermentans JER</i> |
| <i>Mycoplasma gallinaceum strain R</i> | <i>Mycoplasma fermentans strain ATCC</i> |
| <i>Mycoplasma gallinaceum strain F</i> | <i>Mycoplasma vulturii strain Gb - V</i> |

| | |
|--|--|
| <i>Mycoplasma arginini</i> | <i>Mycoplasma edwardii</i> strain ATCC |
| <i>Mycoplasma arginine</i> strain EF – Hungary | <i>Mycoplasma</i> strain - |
| <i>Mycoplasma arginine</i> strain ATCC | <i>Mycoplasma flocculare</i> |
| <i>Mycoplasma arginine</i> clone V | <i>Mycoplasma flocculare</i> strain Ms |
| <i>Mycoplasma sphenisci</i> strain UCMJ | <i>Mycoplasma conjunctivae</i> HRC/T |
| <i>Mycoplasma</i> sp. Mirounga ES_AG_GEN | <i>Mycoplasma conjunctivae</i> strain Goat |
| <i>Mycoplasma</i> sp. Mirounga ES – NAS | <i>Mycoplasma conjunctivae</i> strain HRC |
| <i>Mycoplasma phocicerebrale</i> strain | <i>Mycoplasma testudineum</i> strain ATCC |
| <i>Mycoplasma hyorhinis</i> GDL | <i>Mycoplasma testudineum</i> strain BH |
| <i>Mycoplasma hyorhinis</i> clone V | <i>Mycoplasma moatsii</i> strain MK |
| <i>Mycoplasma hyorhinis</i> strain ATCC | <i>Mycoplasma opalescens</i> |
| <i>Mycoplasma hyorhinis</i> MCLD | <i>Mycoplasma zalophi</i> strain CSL |
| <i>Mycoplasma</i> sp. Phocoena C – GEN | <i>Mycoplasma gateae</i> strain KDC |
| <i>Mycoplasma</i> sp. Phocoena | <i>Mycoplasma gateae</i> strain V |
| <i>Mycoplasma agalactiae</i> | <i>Mycoplasma gateae</i> strain ATCC |
| <i>Mycoplasma agalactiae</i> PG | <i>Mycoplasma canadense</i> strain |
| <i>Mycoplasma neurolyticum</i> strain ATCC | <i>Mycoplasma canadense</i> strain C |
| <i>Mycoplasma neurolyticum</i> strain RN – F | <i>Mycoplasma canadense</i> strain ATCC |
| <i>Mycoplasma neurolyticum</i> strain T | <i>Mycoplasma corypsi</i> strain BV |
| <i>Mycoplasma neurolyticum</i> strain PS | <i>Mycoplasma equirhinis</i> strain M |
| <i>Mycoplasma agassizii</i> strain PS | <i>Mycoplasma equirhinis</i> strain ATCC |
| <i>Mycoplasma agassizii</i> strain Karina Fr. Tortoise | <i>Mycoplasma canis</i> strain ATCC |
| <i>Mycoplasma falconis</i> ATCC | <i>Mycoplasma canis</i> strain Cb |
| <i>Mycoplasma lagogenitalium</i> strain ATCC | <i>Mycoplasma canis</i> strain Skotti A |
| <i>Mycoplasma ovipneumoniae</i> strain ATCC | <i>Mycoplasma hyopharyngis</i> strain HB - F |
| <i>Mycoplasma columbinasale</i> strain ATCC | <i>Mycoplasma hyopharyngis</i> strain Nasal |
| <i>Mycoplasma felifaucium</i> strain PU | <i>Mycoplasma auris</i> |

| | |
|--|---|
| <i>Mycoplasma spermatophilum</i> | <i>Mycoplasma cloacale</i> |
| <i>Mycoplasma spermatophilum strain AH</i> | <i>Mycoplasma mustelae</i> |
| <i>Mycoplasma spermatophilum strain (Jacobs)</i> | <i>Mycoplasma mustelae strain MX</i> |
| <i>Mycoplasma bovigenitalium strain MH</i> | <i>Mycoplasma sp. Mycoplasma sp.</i> |
| <i>Mycoplasma bovigenitalium strain PG</i> | <i>Mycoplasma salivarium</i> |
| <i>Mycoplasma bovigenitalium strain ATCC</i> | <i>Mycoplasma salivarium strain MP</i> |
| <i>Mycoplasma equigenitalium strain ATCC</i> | <i>Mycoplasma leonicaptivi strain ATCC</i> |
| <i>Mycoplasma iguana strain</i> | <i>Mycoplasma anatis</i> |
| <i>Mycoplasma felis strain ATCC</i> | <i>Mycoplasma anatis strain KC</i> |
| <i>Mycoplasma anseris</i> | <i>Mycoplasma anatis strain KA</i> |
| <i>Mycoplasma hyopharyngis</i> | <i>Mycoplasma bovis</i> |
| <i>Mycoplasma bovirhinis</i> | <i>Mycoplasma bovis strain HEK – FDA</i> |
| <i>Mycoplasma simbae ATCC</i> | <i>Mycoplasma bovis HB</i> |
| <i>Mycoplasma synoviae ATCC</i> | <i>Mycoplasma bovis PG clone MU clone A</i> |
| <i>Mycoplasma orale</i> | <i>Mycoplasma bovis strain Madison</i> |
| <i>Mycoplasma orale strain MT</i> | <i>Mycoplasma bovis Hubei</i> |
| <i>Mycoplasma hyosynoviae strain ATCC</i> | <i>Mycoplasma bovis strain – (Del Giudice)</i> |
| <i>Mycoplasma bovoculi strain ATCC</i> | <i>Mycoplasma bovis strain ATCC</i> |
| <i>Mycoplasma maculosum strain ATCC</i> | <i>Mycoplasma gallinarum strain ATCC</i> |
| <i>Mycoplasma maculosum strain Skotti B</i> | <i>Mycoplasma gallinarum strain B (Dinter)</i> |
| <i>Mycoplasma elephantis strain ATCC</i> | <i>Mycoplasma phocirhinis strain CSL – lung</i> |
| <i>Mycoplasma columbinum</i> | <i>Mycoplasma phocirhinis strain ATCC</i> |
| <i>Mycoplasma columbinum strain FG</i> | <i>Mycoplasma collis strain ATCC</i> |
| <i>Mycoplasma caviae strain G</i> | <i>Mycoplasma californicum strain ST</i> |
| <i>Mycoplasma caviae strain ATCC</i> | <i>Mycoplasma californicum strain ATCC</i> |
| <i>Mycoplasma hominis ATCC</i> | <i>Mycoplasma spumans</i> |
| <i>Mycoplasma hypopneumoniae J</i> | <i>Mycoplasma buteonis strain Bb/Tg</i> |



Express Biotech International
 4650 Wedgewood Blvd., STE 103
 Frederick, MD 21703 USA

Tel: +001.301.228.2444
 Fax: +001.301.560.6570
 Email: info@xpressbio.com

| | |
|--|---|
| <i>Mycoplasma hypopneumoniae</i> | <i>Mycoplasma oxoniensis</i> |
| <i>Mycoplasma hypopneumoniae strain ATCC</i> | <i>Mycoplasma leopharyngis</i> |
| <i>Mycoplasma zalophidermidis strain CSL</i> | <i>Mycoplasma primum strain HRC</i> |
| <i>Mycoplasma pulmonis strain Ash (PG)</i> | <i>Mycoplasma primum strain I</i> |
| <i>Mycoplasma pulmonis (strain UAB CTIP)</i> | <i>Mycoplasma primum strain ATCC</i> |
| <i>Mycoplasma alligatoris stain ATCC</i> | <i>Mycoplasma molare strain ATCC</i> |
| <i>Mycoplasma crocodyli</i> | <i>Mycoplasma lipofaciens strain ATCC</i> |
| <i>Mycoplasma crocodyli MP</i> | <i>Mycoplasma cricetuli</i> |
| <i>Mycoplasma crocodyli strain ATCC</i> | <i>Mycoplasma glycophilum</i> |
| <i>Mycoplasma subdolum strain ATCC</i> | <i>Mycoplasma citelli strain RG – C</i> |
| <i>Mycoplasma phocicerebrale strain CSL S</i> | <i>Mycoplasma citelli strain RGD – L</i> |
| <i>Mycoplasma phocicerebrale strain ATCC</i> | <i>Mycoplasma citelli strain RGD – S</i> |
| <i>Mycoplasma phocicerebrale strain Cheryl</i> | <i>Mycoplasma columborale strain ATCC</i> |
| <i>Mycoplasma mycoides</i> | <i>Mycoplasma columborale strain</i> |
| <i>Mycoplasma yeatsii</i> | <i>Mycoplasma sturni ATCC</i> |
| <i>Mycoplasma putrefaciens</i> | <i>Mycoplasma capricolum</i> |
| 212 <i>Mycoplasma salivarium</i> | <i>Mycoplasma leachii</i> |
| <i>Mycoplasma cottewii</i> | |