

XpressBio HIV Research Products Citations

HIV-1 p24 ELISA Kit (XB-1000)

- Abdala, Nadia et al. "Recovering Infectious HIV from Novel Syringe-Needle Combinations with Low Dead Space Volumes." *AIDS research and human retroviruses* vol. 32,10-11 (2016): 947-954. <https://doi.org/10.1089/aid.2016.0023>
- Ahmed, S.; Parthasarathy, D.; Picard, T.C.; Matyas, G.R.; Rao, M.; Herschhorn, A. Evaluating the Immune Response in Rabbits to an Escalating Dose of mRNA-Based HIV-1 Env Immunogens. *Vaccines* 2025, 13, 1161. <https://doi.org/10.3390/vaccines13111161>
- Ajasin, David, Velasquez, Stephani, Gibson, Joy, Scemes, Eliana, Cibelli, Antonio, Spray, David and Eugenin, Eliseo A.. "Pannexin-1 channels, extracellular ATP, and purinergic receptors are essential for CCR5/CXCR4 clustering and HIV entry" *NeuroImmune Pharmacology and Therapeutics*, 2025. <https://doi.org/10.1515/nipt-2025-0005>
- Ali A, Kitchen SG, Chen ISY, Ng HL, Zack JA, Yang OO. HIV-1-Specific Chimeric Antigen Receptors Based on Broadly Neutralizing Antibodies. *J Virol*. 2016 Jul 11;90(15):6999-7006. doi: [10.1128/JVI.00805-16](https://doi.org/10.1128/JVI.00805-16). PMID: 27226366; PMCID: PMC4944295.
- Ali, H., Wadas, J., Bendoumou, M. et al. Inhibition of ALKBH5 demethylase of m6A pathway potentiates HIV-1 reactivation from latency. *Virol J* 22, 124 (2025). <https://doi.org/10.1186/s12985-025-02744-4>
- Alvarez N, Gonzalez SM, Hernandez JC, Rugeles MT, Aguilar-Jimenez W. Calcitriol decreases HIV-1 transfer in vitro from monocyte-derived dendritic cells to CD4 + T cells, and downregulates the expression of DC-SIGN and SIGLEC-1. *PLoS One*. 2022 Jul 8;17(7):e0269932. doi: [10.1371/journal.pone.0269932](https://doi.org/10.1371/journal.pone.0269932). PMID: 35802715; PMCID: PMC9269915.
- Amet, Tohti et al. "Glycosylphosphatidylinositol Anchor Deficiency Attenuates the Production of Infectious HIV-1 and Renders Virions Sensitive to Complement Attack." *AIDS research and human retroviruses* vol. 32,10-11 (2016): 1100-1112. <https://doi.org/10.1089/aid.2016.0046>
- Andersen S, Wolff JH, Skov TW, Janns JH, Davis LJ, Haldrup JH, Haslund D, Revenfeld AL, Relkovic D, Møller BK, Lund J, Bak RO, Thomsen EA, Mikkelsen JG. Gene editing in hematopoietic stem cells by co-delivery of Cas9/sgRNA ribonucleoprotein and templates for homology-directed repair in 'all-in-one' lentivirus-derived nanoparticles. *Nucleic Acids Res*. 2025 Aug 11;53(15):gkaf767. doi: [10.1093/nar/gkaf767](https://doi.org/10.1093/nar/gkaf767).

- Bains, A. S. (2023). An Investigation into the Role of Protein-Based Viral Structural Features in Mediating the Infectivity of SARS-CoV-2. UC Merced. ProQuest ID: Bains_ucmerced_1660D_10984. Merritt ID: ark:/13030/m5gv6qf4. Retrieved from <https://escholarship.org/uc/item/8f66f2wz>
- Bains A, Fischer K, Guan W, LiWang PJ. The Antiviral Activity of the Lectin Griffithsin against SARS-CoV-2 Is Enhanced by the Presence of Structural Proteins. *Viruses*. 2023; 15(12):2452. <https://doi.org/10.3390/v15122452>
- Bains A, Guan W, LiWang PJ. The Effect of Select SARS-CoV-2 N-Linked Glycan and Variant of Concern Spike Protein Mutations on C-Type Lectin-Receptor-Mediated Infection. *Viruses*. 2023 Sep 9;15(9):1901. doi: [10.3390/v15091901](https://doi.org/10.3390/v15091901). PMID: 37766307; PMCID: PMC10535197.
- Bashir T, Patgaonkar M, Kumar SC, Pasi A, Reddy KV. HbAHP-25, an In-Silico Designed Peptide, Inhibits HIV-1 Entry by Blocking gp120 Binding to CD4 Receptor. *PLoS One*. 2015 Apr 27;10(4):e0124839. doi: [10.1371/journal.pone.0124839](https://doi.org/10.1371/journal.pone.0124839). PMID: 25915507; PMCID: PMC4411102.
- Basova L, Najera JA, Bortell N, Wang D, Moya R, Lindsey A, Semenova S, Ellis RJ, Marcondes MCG. Dopamine and its receptors play a role in the modulation of CCR5 expression in innate immune cells following exposure to Methamphetamine: Implications to HIV infection. *PLoS One*. 2018 Jun 26;13(6):e0199861. doi: [10.1371/journal.pone.0199861](https://doi.org/10.1371/journal.pone.0199861). PMID: 29944719; PMCID: PMC6019408.
- Beaudry A, Jacques-Ricard S, Darracq A, Sgarioto N, Garcia A, García TR, Lemieux W, Béland K, Haddad E, Cordeiro P, Duval M, McGraw S, Richer C, Caron M, Marois F, St-Onge P, Sinnett D, Banquy X, Raynal NJ. Repurposing disulfiram, an alcohol-abuse drug, in neuroblastoma causes KAT2A downregulation and in vivo activity with a water/oil emulsion. *Sci Rep*. 2023 Sep 30;13(1):16443. doi: [10.1038/s41598-023-43219-2](https://doi.org/10.1038/s41598-023-43219-2). PMID: 37777587; PMCID: PMC10543387.
- Bellini N, Ye C, Ajibola O, Murooka TT, Lodge R, Cohen ÉA. Downregulation of miRNA-26a by HIV-1 Enhances CD59 Expression and Packaging, Impacting Virus Susceptibility to Antibody-Dependent Complement-Mediated Lysis. *Viruses*. 2024; 16(7):1076. <https://doi.org/10.3390/v16071076>
- Berger A, Sommer AFR, Zwarg J, Hamdorf M, Welzel K, Esly N, et al. (2011) SAMHD1-Deficient CD14+ Cells from Individuals with Aicardi-Goutières Syndrome Are Highly Susceptible to HIV-1 Infection. *PLoS Pathog* 7(12): e1002425. <https://doi.org/10.1371/journal.ppat.1002425>
- Bourdier, Solenne (2026) High expression of Ano1 as principal factor in resistance of HPV-negative Head and Neck Squamous Cell Carcinoma to radiation and cisplatin therapy. (Doctoral dissertation, Universitätsmedizin Berlin). [Refubium - Freie Universität Berlin Repository](https://refubium.uni-berlin.de/handle/document/10000/10000)

- Brémaud E, Mishra BP, Baqi A, Masic V, Flipo T, Everest-Dass A, Hartley-Tassell L, Gorry PR, Ve T, Spillings BL, Mak J. Calcium and phosphorylation coordination is a novel mechanism that stabilises protein-complexes during HIV assembly. *J Biomed Sci*. 2026 Jul 2;33(1):70. doi: 10.1186/s12929-026-01274-7.
- Bruder MR, Aucoin MG. Evaluation of Virus-Free Manufacture of Recombinant Proteins Using CRISPR-Mediated Gene Disruption in Baculovirus-Infected Insect Cells. *Vaccines (Basel)*. 2023 Jan 19;11(2):225. doi: [10.3390/vaccines11020225](https://doi.org/10.3390/vaccines11020225). PMID: 36851104; PMCID: PMC9966935.
- Burdick RC, Hu WS, Pathak VK. Nuclear import of APOBEC3F-labeled HIV-1 preintegration complexes. *Proc Natl Acad Sci U S A*. 2013 Dec 3;110(49):E4780-9. doi: [10.1073/pnas.1315996110](https://doi.org/10.1073/pnas.1315996110). Epub 2013 Nov 18. PMID: 24248339; PMCID: PMC3856795.
- Burdick RC, Morse M, Rouzina I, Williams MC, Hu WS, Pathak VK. HIV-1 uncoating requires long double-stranded reverse transcription products. *Sci Adv*. 2024 Apr 26;10(17):eadn7033. <https://doi.org/10.1126/sciadv.adn7033>.
- Cabral-Piccin MP, Papagno L, Lahaye X, Perdomo-Celis F, Volant S, White E, Monceaux V, Llewellyn-Lacey S, Fromentin R, Price DA, Chomont N, Manel N, Saez-Cirion A, Appay V. Primary role of type I interferons for the induction of functionally optimal antigen-specific CD8+ T cells in HIV infection. *EBioMedicine*. 2023 Apr 12; 91:104557. <https://doi.org/10.1016/j.ebiom.2023.104557>.
- Cai Y, Laustsen A, Zhou Y, Sun C, Anderson MV, Li S, Uldbjerg N, Luo Y, Jakobsen MR, Mikkelsen JG. Targeted, homology-driven gene insertion in stem cells by ZFN-loaded 'all-in-one' lentiviral vectors. *Elife*. 2016 Jun 9;5:e12213. doi: [10.7554/eLife.12213](https://doi.org/10.7554/eLife.12213). PMID: 27278774; PMCID: PMC4900802.
- Chaipan, Chawaree, et al. "APOBEC3G Restricts HIV-1 to a Greater Extent than APOBEC3F and APOBEC3DE in Human Primary CD4+ T Cells and Macrophages." *Journal of Virology*, vol. 87, no. 1, Jan. 2013, pp. 444–453., <https://doi.org/10.1128/jvi.00676-12>
- Chaipan C, Pryszlak A, Dean H, Pognard P, Benes V, Griffiths AD, Merten CA. Single-Virus Droplet Microfluidics for High-Throughput Screening of Neutralizing Epitopes on HIV Particles. *Cell Chem Biol*. 2017 Jun 22;24(6):751-757.e3. <https://doi.org/10.1016/j.chembiol.2017.05.009>. Epub 2017 May 25. PMID: 28552581.
- Christensen DE, Ganer-Pornillos BK, Johnson JS, Pornillos O, Sundquist WI. Reconstitution and visualization of HIV-1 capsid-dependent replication and integration in vitro. *Science*. 2020 Oct 9;370(6513):eabc8420. doi: [10.1126/science.abc8420](https://doi.org/10.1126/science.abc8420). PMID: 33033190; PMCID: PMC8022914.

- Cisneros IE, Ghorpade A, Borgmann K. Methamphetamine Activates Trace Amine Associated Receptor 1 to Regulate Astrocyte Excitatory Amino Acid Transporter-2 via Differential CREB Phosphorylation During HIV-Associated Neurocognitive Disorders. *Front Neurol*. 2020 Nov 25;11:593146. doi: [10.3389/fneur.2020.593146](https://doi.org/10.3389/fneur.2020.593146). PMID: 33324330; PMCID: PMC7724046.
- Clark KM, Kim JG, Wang Q, Gao H, Presti RM, Shan L. Chemical inhibition of DPP9 sensitizes the CARD8 inflammasome in HIV-1-infected cells. *Nat Chem Biol*. 2023 Apr;19(4):431-439. doi: [10.1038/s41589-022-01182-5](https://doi.org/10.1038/s41589-022-01182-5). Epub 2022 Nov 10. PMID: 36357533; PMCID: PMC10065922.
- Cong L, Sugden SM, Leclair P, Lim CJ, Pham TNQ, Cohen ÉA. HIV-1 Vpu Promotes Phagocytosis of Infected CD4⁺ T Cells by Macrophages through Downregulation of CD47. *mBio*. 2021 Aug 31;12(4):e0192021. <https://doi.org/10.1128/mBio.01920-21>. Epub 2021 Aug 24. PMID: 34425695; PMCID: PMC8406190.
- Dahal S, Cheng R, Cheung PK, Been T, Maltby R, Geng M, Manianis S, Shkreta L, Jahanshahi S, Toutant J, Chan R, Park S, Brockman MA, Babu M, Mubareka S, Mossman K, Banerjee A, Gray-Owen S, Brown M, Houry WA, Chabot B, Grierson D, Cochrane A. The Thiazole-5-Carboxamide GPS491 Inhibits HIV-1, Adenovirus, and Coronavirus Replication by Altering RNA Processing/Accumulation. *Viruses*. 2021 Dec 30;14(1):60. doi: [10.3390/v14010060](https://doi.org/10.3390/v14010060). PMID: 35062264; PMCID: PMC8779516.
- Day CJ, Hardison RL, Spillings BL, Poole J, Jurcisek JA, Mak J, Jennings MP, Edwards JL. Complement Receptor 3 Mediates HIV-1 Transcytosis across an Intact Cervical Epithelial Cell Barrier: New Insight into HIV Transmission in Women. *mBio*. 2022 Feb 22;13(1):e0217721. doi: [10.1128/mbio.02177-21](https://doi.org/10.1128/mbio.02177-21). Epub 2022 Jan 11. PMID: 35012346; PMCID: PMC8749410.
- Delviks-Frankenberry KA, Ojha CR, Hermann KJ, Hu WS, Torbett BE, Pathak VK. Potent dual block to HIV-1 infection using lentiviral vectors expressing fusion inhibitor peptide mC46- and Vif-resistant APOBEC3G. *Mol Ther Nucleic Acids*. 2023 Aug 11;33:794-809. doi: [10.1016/j.omtn.2023.08.007](https://doi.org/10.1016/j.omtn.2023.08.007). PMID: 37662965; PMCID: PMC10470399.
- Desimmie BA, Smith JL, Matsuo H, Hu WS, Pathak VK. Identification of a tripartite interaction between the N-terminus of HIV-1 Vif and CBF β that is critical for Vif function. *Retrovirology*. 2017 Mar 17;14(1):19. <https://doi.org/10.1186/s12977-017-0346-5>. PMID: 28302150; PMCID: PMC5356271.
- Dodagatta-Marri E, Mitchell DA, Pandit H, Sonawani A, Murugaiah V, Idicula-Thomas S, Nal B, Al-Mozaini MM, Kaur A, Madan T, Kishore U. Protein-Protein Interaction between Surfactant Protein D and DC-SIGN via C-Type Lectin Domain Can Suppress HIV-1 Transfer. *Front Immunol*. 2017 Jul 31;8:834. <https://doi.org/10.3389/fimmu.2017.00834> PMID: 28824609; PMCID: PMC5534670.

- Dorman, Agnieszka (2025). Characterization of post-transcriptional mechanisms in HIV-1 latency and reactivation. [Doctoral dissertation, Małopolska Centre of Biotechnology and Doctoral School of Exact and Natural Sciences, Jagiellonian University]
<https://ruj.uj.edu.pl/server/api/core/bitstreams/511c510d-64c6-48b9-a2df-0274f68e1f05/content>
- Falkenhagen, Alexander et al. "Control of HIV Infection In Vivo Using Gene Therapy with a Secreted Entry Inhibitor." *Molecular Therapy. Nucleic Acids* 9 (2017): 132–144. PMC.
<https://doi.org/10.1016/j.omtn.2017.08.017>
- Farsam V, Basu A, Gatzka M, Treiber N, Schneider LA, Mulaw MA, Lucas T, Kochanek S, Dummer R, Levesque MP, Wlaschek M, Scharffetter-Kochanek K. Senescent fibroblast-derived Chemerin promotes squamous cell carcinoma migration. *Oncotarget*. 2016 Dec 13;7(50):83554-83569. doi: [10.18632/oncotarget.13446](https://doi.org/10.18632/oncotarget.13446). PMID: 27907906; PMCID: PMC5347788.
- Feng Y, Love RP, Ara A, Baig TT, Adolph MB, Chelico L. Natural Polymorphisms and Oligomerization of Human APOBEC3H Contribute to Single-stranded DNA Scanning Ability. *J Biol Chem*. 2015 Nov 6;290(45):27188-27203. doi: [10.1074/jbc.M115.666065](https://doi.org/10.1074/jbc.M115.666065). Epub 2015 Sep 22. PMID: 26396192; PMCID: PMC4646388.
- García-Crespo, K., et al. "Restricted HIV-1 Replication in Placental Macrophages Is Caused by Inefficient Viral Transcription." *Journal of Leukocyte Biology*, vol. 87, no. 4, 30 Dec. 2009, pp. 633–636.,
<https://doi.org/10.1189/jlb.0809556>.
- Garg R, Mills K, Allen KJH, Causey P, Perron RW, Gendron D, Sanche S, Berman JW, Gorny MK, Dadachova E. Comparison of various radioactive payloads for a human monoclonal antibody to glycoprotein 41 for elimination of HIV-infected cells. *Nucl Med Biol*. 2020 Mar-Apr;82-83:80-88. doi: [10.1016/j.nucmedbio.2020.02.009](https://doi.org/10.1016/j.nucmedbio.2020.02.009). Epub 2020 Feb 19. PMID: 32113033; PMCID: PMC7195259.
- Gohda, J., Ma, Y., Huang, Y. et al. HIV-1 replicates in human osteoclasts and enhances their differentiation in vitro . *Retrovirology* 12, 12 (2015). <https://doi.org/10.1186/s12977-015-0139-7>
- Haldrup J, Andersen S, Labial ARL, Wolff JH, Frandsen FP, Skov TW, Rovsing AB, Nielsen I, Jakobsen TS, Askou AL, Thomsen MK, Corydon TJ, Thomsen EA, Mikkelsen JG. Engineered lentivirus-derived nanoparticles (LVNPs) for delivery of CRISPR/Cas ribonucleoprotein complexes supporting base editing, prime editing and in vivo gene modification. *Nucleic Acids Res*. 2023 Oct 13;51(18):10059-10074. doi: [10.1093/nar/gkad676](https://doi.org/10.1093/nar/gkad676). PMID: 37678882; PMCID: PMC10570023.

- Hernandez, C., Gorska, A., Eugenin, E., Mechanisms of HIV-Mediated Blood-Brain Barrier Compromise and Leukocyte Transmigration under the Current Antiretroviral Era., *iScience*. 2024 Feb 15;27(3):109236. <https://doi.org/10.1016/j.isci.2024.109236>.
- Holm, C., Rahbek, S., Gad, H. *et al*. Influenza A virus targets a cGAS-independent STING pathway that controls enveloped RNA viruses. *Nat Commun* **7**, 10680 (2016). <https://doi.org/10.1038/ncomms10680>
- Hu N, Yu R, Shikuma C, Shiramizu B, Ostrowski MA, Yu Q. Role of cell signaling in poxvirus-mediated foreign gene expression in mammalian cells. *Vaccine*. 2009 May 14;27(22):2994-3006. doi: [10.1016/j.vaccine.2009.02.103](https://doi.org/10.1016/j.vaccine.2009.02.103). Epub 2009 Mar 10. PMID: 19428911; PMCID: PMC3189381.
- Hu W, Yu Q, Hu N, Byrd D, Amet T, Shikuma C, Shiramizu B, Halperin JA, Qin X. A high-affinity inhibitor of human CD59 enhances complement-mediated virolysis of HIV-1: implications for treatment of HIV-1/AIDS. *J Immunol*. 2010 Jan 1;184(1):359-68. doi: [10.4049/jimmunol.0902278](https://doi.org/10.4049/jimmunol.0902278). Epub 2009 Dec 2. PMID: 19955519; PMCID: PMC4272871.
- Islam S, Maldarelli F, Nikolaitchik OA, Cheng Z, Gorelick R, Nikolaitchik MA, Pathak VK, Hu W. O. HIV-1 transcription start sites usage and its impact on unspliced RNA functions in people living with HIV. *mBio* 0:e03576-24. <https://doi.org/10.1128/mbio.03576-24>
- Izumi T, Burdick R, Shigemi M, Plisov S, Hu WS, Pathak VK. Mov10 and APOBEC3G localization to processing bodies is not required for virion incorporation and antiviral activity. *J Virol*. 2013 Oct;87(20):11047-62. doi: [10.1128/JVI.02070-13](https://doi.org/10.1128/JVI.02070-13). Epub 2013 Aug 7. PMID: 23926332; PMCID: PMC3807276
- Jang, Sooin, et al. HIV-1 usurps mixed-charge domain-dependent CPSF6 phase separation for higher-order capsid binding, nuclear entry and viral DNA integration, *Nucleic Acids Research*, 2024;, gkae769, <https://doi.org/10.1093/nar/gkae769>
- Ji H, Lu P, Liu B, Qu X, Wang Y, Jiang Z, Yang X, Zhong Y, Yang H, Pan H, Zhao L, Xu J, Lu H, Zhu H. Zinc-Finger Nucleases Induced by HIV-1 Tat Excise HIV-1 from the Host Genome in Infected and Latently Infected Cells. *Mol Ther Nucleic Acids*. 2018 Sep 7;12:67-74. doi: [10.1016/j.omtn.2018.04.014](https://doi.org/10.1016/j.omtn.2018.04.014). Epub 2018 May 3. PMID: 30195798; PMCID: PMC6023959.
- Kang, R., Zhou, Y., Tan, S. *et al*. Mesenchymal stem cells derived from human induced pluripotent stem cells retain adequate osteogenicity and chondrogenicity but less adipogenicity. *Stem Cell Res Ther* **6**, 144 (2015). <https://doi.org/10.1186/s13287-015-0137-7>

- Kim W, Zekas E, Lodge R, Susan-Resiga D, Marcinkiewicz E, Essalmani R, Mihara K, Ramachandran R, Asahchop E, Gelman B, Cohen ÉA, Power C, Hollenberg MD, Seidah NG. Neuroinflammation-Induced Interactions between Protease-Activated Receptor 1 and Proprotein Convertases in HIV-Associated Neurocognitive Disorder. *Mol Cell Biol.* 2015 Nov;35(21):3684-700. doi: [10.1128/MCB.00764-15](https://doi.org/10.1128/MCB.00764-15). Epub 2015 Aug 17. PMID: 26283733; PMCID: PMC4589605.
- Lahaye et al., Centromeric DNA amplification triggered by viral proteins activates nuclear cGAS, *Cell* (2025), <https://doi.org/10.1016/j.cell.2025.05.008>
- Lai KK, Munro JB, Shi G, Majdoul S, Compton AA, Rein A. Restriction of Influenza A Virus by SERINC5. *mBio.* 2022 Dec 20;13(6):e0292322. doi: [10.1128/mbio.02923-22](https://doi.org/10.1128/mbio.02923-22). Epub 2022 Nov 21. PMID: 36409124; PMCID: PMC9765469.
- Lan J, Li W, Yu R, Syed F, Yu Q. Cell-to-cell transmission of HIV-1 from provirus-activated cells to resting naïve and memory human primary CD4 T cells is highly efficient and requires CD4 and F-actin but not chemokine receptors. *J Med Virol.* 2022 Nov;94(11):5434-5450. doi: [10.1002/jmv.28005](https://doi.org/10.1002/jmv.28005). Epub 2022 Jul 23. PMID: 35840493; PMCID: PMC9543916.
- Larios R, Hossain MB, Brown R, Jeyachandran AV, Abu AE, Zaiss AK, Ramirez CM, Kamata M, Cole S, Wu TT, Dorshkind K, Arumugaswami V, Morizono K. B Cell Receptor's function in virus entry: Anti-SARS-CoV-2 B cell receptors can mediate viral entry in an ACE2-independent mechanism. *PLoS Pathog.* 2026 Feb 6;22(2):e1013946. doi: [10.1371/journal.ppat.1013946](https://doi.org/10.1371/journal.ppat.1013946).
- Legrand, Alexander, et al. The inflammatory and tumor suppressor SAMD9L acts through a Schlafen-like box to restrict HIV and inhibit cell translation in SAAD/ATXPC. *bioRxiv.* 19 January 2023. <https://doi.org/10.1101/2023.01.19.524725>.
- Legrand A, Dahoui C, De La Myre Mory C, Noy K, Guiguetaz L, Versapuech M, Loyer C, Pillon M, Wcislo M, Guéguen L, Berlioz-Torrent C, Cimorelli A, Mateo M, Fiorini F, Ricci EP, Etienne L. SAMD9L acts as an antiviral factor against HIV-1 and primate lentiviruses by restricting viral and cellular translation. *PLoS Biol.* 2024 Jul 3;22(7):e3002696. <https://doi.org/10.1371/journal.pbio.3002696>. PMID: 38959200; PMCID: PMC11221667.
- Li, Li (2026). Understanding neuronal fate transition and degeneration by transcriptomic networks. [Doctoral dissertation, University at Buffalo, The State University of New York]. ProQuest Dissertations and Theses Global. <https://www.proquest.com/openview/5d729c1439c24556b17e79985f7d986c/1?pq-origsite=gscholar&cbl=18750&diss=y>

- Li, Weiting et al., The host restriction factor SERINC5 inhibits HIV-1 transcription by negatively regulating NF- κ B signaling. *Journal of Biological Chemistry*, Volume 0, Issue 0, 108058. DOI: [10.1016/j.jbc.2024.108058](https://doi.org/10.1016/j.jbc.2024.108058).
- Li, Xiaoyu, et al. "Functional Analysis of the Two Cytidine Deaminase Domains in APOBEC3G." *Virology*, vol. 414, no. 2, 18 Mar. 2011, pp. 130–136., <http://dx.doi.org/10.1016/j.virol.2011.03.014>
- Li Li, Binglin Zhu, Jian Feng, Identifying key regulators in neuronal transdifferentiation by gene regulatory network analysis, *PNAS Nexus*, 2025,, pgaf365, <https://doi.org/10.1093/pnasnexus/pgaf365>
- Liu B, Klatt D, Harris C, McGuinness M, Brendel C, Williams DA. Optimized lentivirus-derived virus-like particles for efficient delivery of Cas9-based genome editors. *Nucleic Acids Res.* 2026 May 20;54(10):gkag500. doi: [10.1093/nar/gkag500](https://doi.org/10.1093/nar/gkag500).
- Liu Y, Chen J, Nikolaitchik OA, Desimmie BA, Busan S, Pathak VK, Weeks KM, Hu WS. The roles of five conserved lentiviral RNA structures in HIV-1 replication. *Virology*. 2018 Jan 15;514:1-8. doi: [10.1016/j.virol.2017.10.020](https://doi.org/10.1016/j.virol.2017.10.020). Epub 2017 Nov 9. PMID: 29128752; PMCID: PMC5766380.
- Loaiza, J. D.; Gómez, J. F.; Muñoz-Escudero, D.; Gonzalez, S. M.; Eubank, T. K.; Rugeles, M. T.; Rodríguez-Perea, A. L.; Aguilar-Jimenez, W. Vitamin D Decreases Susceptibility of CD4+ T Cells to HIV Infection by Reducing AKT Phosphorylation and Glucose Uptake: A Bioinformatic and In Vitro Approach. *Preprints* 2024, 2024122098. <https://doi.org/10.20944/preprints202412.2098.v1>
- Lodge R, Xu Z, Eklund M, Stürzel C, Kirchhoff F, Tremblay MJ, Hobman TC, Cohen ÉA. MicroRNA-25/93 induction by Vpu as a mechanism for counteracting MARCH1-restriction on HIV-1 infectivity in macrophages. *mBio*. 2023 Oct 31;14(5):e0195023. doi: [10.1128/mbio.01950-23](https://doi.org/10.1128/mbio.01950-23). Epub 2023 Sep 29. PMID: 37773002; PMCID: PMC10653795.
- Lodge R, Gilmore JC, Ferreira Barbosa JA, Lombard-Vadnais F, Cohen ÉA. Regulation of CD4 Receptor and HIV-1 Entry by MicroRNAs-221 and -222 during Differentiation of THP-1 Cells. *Viruses*. 2018; 10(1):13. <https://doi.org/10.3390/v10010013>
- Maiti, A., Myint, W., Kanai, T. et al. Crystal structure of the catalytic domain of HIV-1 restriction factor APOBEC3G in complex with ssDNA. *Nat Commun* 9, 2460 (2018). <https://doi.org/10.1038/s41467-018-04872-8>
- Mao, H., Chen, H., Fesseha, Z. *et al.* Identification of novel host-oriented targets for Human Immunodeficiency Virus type 1 using Random Homozygous Gene Perturbation. *Virology* 6, 154 (2009). <https://doi.org/10.1186%2F1743-422X-6-154>

- Modi M, Nutan, Pancholi B, Kulshrestha S, Rawat AK, Malhotra S, Gupta S. Anti-HIV-1 activity, protease inhibition and safety profile of extracts prepared from *Rhus parviflora*. BMC Complement Altern Med. 2013 Jul 4;13:158. doi: [10.1186/1472-6882-13-158](https://doi.org/10.1186/1472-6882-13-158). PMID: 24059266; PMCID: PMC3716979.
- Morath, V., Fritschle, K., Warmuth, L. et al. PET-based tracking of CAR T cells and viral gene transfer using a cell surface reporter that binds to lanthanide complexes. Nat. Biomed. Eng (2025). <https://doi.org/10.1038/s41551-025-01415-7>
- Mortazavi M, Bains A, Afsah-Hejri L, Ehsani R, LiWang PJ. SARS-CoV-2 pseudotyped virus persists on the surface of multiple produce but can be inactivated with gaseous ozone. Heliyon. 2022 Aug;8(8):e10280. doi: [10.1016/j.heliyon.2022.e10280](https://doi.org/10.1016/j.heliyon.2022.e10280). Epub 2022 Aug 15. PMID: 35991981; PMCID: PMC9376980.
- Munsaka, Sody M., et al. "Characteristics of Activated Monocyte Phenotype Support R5-Tropic Human Immunodeficiency Virus." *Immunology and Immunogenetics Insights*, vol. 1, 2009, <https://doi.org/10.4137/iii.s2011>.
- Nielsen, Ian Helstrup, et al. "Cell-targeted gene modification by delivery of CRISPR/Cas9 ribonucleoprotein complexes in pseudotyped lentivirus-derived nanoparticles." *Molecular Therapy-Nucleic Acids* (2024). DOI: [10.1016/j.omtn.2024.102318](https://doi.org/10.1016/j.omtn.2024.102318).
- Nikolaïtchik OA, Chameettachal A, Islam S, Cheng Z, Delviks-Frankenberry K, Keele BF, Pathak VK, Hu W-S. How to recover from a bad start: adaptation of HIV-1 transcription start site mutants during serial passaging in culture. J Virol. 2025 May 7:e0015925. doi: [10.1128/jvi.00159-25](https://doi.org/10.1128/jvi.00159-25)
- Nutan, Modi M, Dezzutti CS, Kulshreshtha S, Rawat AK, Srivastava SK, Malhotra S, Verma A, Ranga U, Gupta SK. Extracts from *Acacia catechu* suppress HIV-1 replication by inhibiting the activities of the viral protease and Tat. Virol J. 2013 Oct 18;10:309. doi: [10.1186/1743-422X-10-309](https://doi.org/10.1186/1743-422X-10-309). PMID: 25228267; PMCID: PMC3819669.
- Nasr N, Maddocks S, Turville SG, Harman AN, Woolger N, Helbig KJ, Wilkinson J, Bye CR, Wright TK, Rambukwelle D, Donaghy H, Beard MR, Cunningham AL. HIV-1 infection of human macrophages directly induces viperin which inhibits viral production. Blood. 2012 Jul 26;120(4):778-88. doi: [10.1182/blood-2012-01-407395](https://doi.org/10.1182/blood-2012-01-407395). Epub 2012 Jun 7. PMID: 22677126.
- O'Hagan D, Shandilya S, Hopkins LJ, Hahn PA, Fuchs SP, Martinez-Navio JM, Alpert MD, Gardner MR, Desrosiers RC, Gao G, Lifson JD, Farzan M, Ardesir A, Martins MA, *In vivo* evolution of *env* in SHIV-AD8EO-infected rhesus macaques after AAV-vectored delivery of eCD4-Ig , Molecular Therapy (2025), doi: <https://doi.org/10.1016/j.ymthe.2024.12.015>.

- Olety B, Usami Y, Peters P, Wu Y, Göttlinger H. The ectodomain sheddase ADAM10 restricts HIV-1 propagation and is counteracted by Nef. *Sci Adv.* 2025 Apr 18;11(16):eadt1836. doi: [10.1126/sciadv.adt1836](https://doi.org/10.1126/sciadv.adt1836).
- Olety B, Usami Y, Wu Y, Peters P, Göttlinger H. AP-2 Adaptor Complex-Dependent Enhancement of HIV-1 Replication by Nef in the Absence of the Nef/AP-2 Targets SERINC5 and CD4. *mBio.* 2023 Feb 28;14(1):e0338222. doi: [10.1128/mbio.03382-22](https://doi.org/10.1128/mbio.03382-22). Epub 2023 Jan 9. PMID: 36622146; PMCID: PMC9973267.
- Olety B, Peters P, Wu Y, Usami Y, Göttlinger H. HIV-1 propagation is highly dependent on basal levels of the restriction factor BST2. *Sci Adv.* 2021 Oct 29;7(44):eabj7398. doi: [10.1126/sciadv.abj7398](https://doi.org/10.1126/sciadv.abj7398). Epub 2021 Oct 29. PMID: 34714669; PMCID: PMC8555903.
- Omondi FH, Sang Y, Dong W, Mwimanzi F, Cheung PK, Barad E, Derza Z, Anderson K, Shahid A, Mysak V, Lima VD, Hull M, Brumme CJ, Harris M, Montaner JSG, Guillemi S, Brockman MA, Brumme ZL. Non-suppressible HIV viremia sustained by clonally expanded CD4+ T cells harboring a genomically defective provirus with an immune-evasive protein expression profile. *mBio.* 2026 Mar 30:e0390925. doi: [10.1128/mbio.03909-25](https://doi.org/10.1128/mbio.03909-25).
- Pandit, Hrishikesh, et al. "Surfactant Protein D Inhibits HIV-1 Infection of Target Cells via Interference with gp120-CD4 Interaction and Modulates Pro-Inflammatory Cytokine Production." *PLoS ONE*, vol. 9, no. 7, 2014, <https://doi.org/10.1371/journal.pone.0102395>.
- Park KH, Kim M, Bae SE, Lee HJ, Kim KC, Choi BS, Kim YB. Study on suitable analysis method for HIV-1 non-catalytic integrase inhibitor. *Virol J.* 2021 Jan 13;18(1):17. doi: [10.1186/s12985-020-01476-x](https://doi.org/10.1186/s12985-020-01476-x). PMID: 33436020; PMCID: PMC7805210.
- Park SH, Yu KL, Jung YM, Lee SD, Kim MJ, You JC. Investigation of functional roles of transcription termination factor-1 (TTF-I) in HIV-1 replication. *BMB Rep.* 2018 Jul;51(7):338-343. doi: [10.5483/bmbrep.2018.51.7.032](https://doi.org/10.5483/bmbrep.2018.51.7.032). PMID: 29555014; PMCID: PMC6089867.
- Parthasarathy, D., Pickthorn, S., Ahmed, S. et al. Incompletely closed HIV-1CH040 envelope glycoproteins resist broadly neutralizing antibodies while mediating efficient HIV-1 entry. *npj Viruses* 3, 3 (2025). <https://doi.org/10.1038/s44298-024-00082-w>
- Pednekar L, Pandit H, Paudyal B, Kaur A, Al-Mozaini MA, Kouser L, Ghebrehiwet B, Mitchell DA, Madan T, Kishore U. Complement Protein C1q Interacts with DC-SIGN via Its Globular Domain and Thus May Interfere with HIV-1 Transmission. *Front Immunol.* 2016 Dec 22;7:600. doi: [10.3389/fimmu.2016.00600](https://doi.org/10.3389/fimmu.2016.00600). PMID: 28066413; PMCID: PMC5177617.

- Pedrini M, Pozzi L, Sacchi F, Citarella A, Fasano V, Seneci P, Pieraccini S, Ruberto L, Peña HP, Garzino-Demo A, Vitiello A, Sernicola L, Borsetti A, Calistri A, Parolin C, Passarella D. Design, synthesis and in vitro validation of bivalent binders of SARS-CoV-2 spike protein: Obeticholic, betulinic and glycyrrhetic acids as building blocks. *Bioorg Med Chem*. 2025 Feb 18;121:118124. doi: [10.1016/j.bmc.2025.118124](https://doi.org/10.1016/j.bmc.2025.118124). Epub ahead of print. PMID: 39999646.
- Peres C, Sellitto C, Nardin C, Putti S, Orsini T, Di Pietro C, Marazziti D, Vitiello A, Calistri A, Rigamonti M, Scavizzi F, Raspa M, Zonta F, Yang G, White TW, Mammano F. Antibody gene transfer treatment drastically improves epidermal pathology in a keratitis ichthyosis deafness syndrome model using male mice. *EBioMedicine*. 2023 Feb 1;89:104453. <https://doi.org/10.1016/j.ebiom.2023.104453>. Epub ahead of print. PMID: 36736132.
- Perrone, Rosalba, et al. "The G-Quadruplex-Forming Aptamer AS1411 Potently Inhibits HIV-1 Attachment to the Host Cell." *International Journal of Antimicrobial Agents*, vol. 47, no. 4, Apr. 2016, pp. 311–316., <https://doi.org/10.1016/j.ijantimicag.2016.01.016>
- Ramesh D, Mohanty AK, De A, Vijayakumar BG, Sethumadhavan A, Muthuvel SK, Mani M, Kannan T. Uracil derivatives as HIV-1 capsid protein inhibitors: design, in silico, in vitro and cytotoxicity studies. *RSC Adv*. 2022 Jun 13;12(27):17466-17480. doi: [10.1039/d2ra02450k](https://doi.org/10.1039/d2ra02450k). PMID: 35765450; PMCID: PMC9190787.
- Ranjbar B, Krogh LB, Laursen MB, Primo MN, Marques SC, Dybkær K, Mikkelsen JG. Anti-Apoptotic Effects of Lentiviral Vector Transduction Promote Increased Rituximab Tolerance in Cancerous B-Cells. *PLoS One*. 2016 Apr 5;11(4):e0153069. doi: [10.1371/journal.pone.0153069](https://doi.org/10.1371/journal.pone.0153069). PMID: 27045839; PMCID: PMC4821607.
- Rawson JMO, Nikolaitchik OA, Yoo JA, Somoulay X, Brown MA, Mbuntcha Bogni FS, Pathak VK, Soheilian F, Slack RL, Sarafianos SG, Hu WS. Adaptation of HIV-1/HIV-2 Chimeras with Defects in Genome Packaging and Viral Replication. *mBio*. 2022 Oct 26;13(5):e0222022. doi: [10.1128/mbio.02220-22](https://doi.org/10.1128/mbio.02220-22). Epub 2022 Aug 29. PMID: 36036631; PMCID: PMC9600866.
- Rawson JMO, Nikolaitchik OA, Shakya S, Keele BF, Pathak VK, Hu WS. Transcription Start Site Heterogeneity and Preferential Packaging of Specific Full-Length RNA Species Are Conserved Features of Primate Lentiviruses. *Microbiol Spectr*. 2022 Aug 31;10(4):e0105322. doi: [10.1128/spectrum.01053-22](https://doi.org/10.1128/spectrum.01053-22). Epub 2022 Jun 23. PMID: 35736240; PMCID: PMC9430795.
- Richard K, Williams DE, de Silva ED, Brockman MA, Brumme ZL, Andersen RJ, Tietjen I. Identification of Novel HIV-1 Latency-Reversing Agents from a Library of Marine Natural Products. *Viruses*. 2018 Jun 27;10(7):348. doi: [10.3390/v10070348](https://doi.org/10.3390/v10070348). PMID: 29954099; PMCID: PMC6071113.

- Rincón, D.S., Flórez-Álvarez, L., Taborda, N.A. et al. NK cells from Men Who Have Sex with Men at high risk for HIV-1 infection exhibit higher effector capacity. *Sci Rep* 13, 16766 (2023). <https://doi.org/10.1038%2Fs41598-023-44054-1>
- Rosario-Rodríguez, Lester J et al. "Dimethyl Fumarate Prevents HIV-Induced Lysosomal Dysfunction and Cathepsin B Release from Macrophages." *Journal of neuroimmune pharmacology : the official journal of the Society on NeuroImmune Pharmacology* vol. 13,3 (2018): 345-354. <https://doi.org/10.1007/s11481-018-9794-5>
- Rosenfeld, P.; Singh, G.; Paz Herrera, A.; Ji, J.; Seufzer, B.; Heng, X.; Boris-Lawrie, K.; Cochrane, A. Putting a Kink in HIV-1 Particle Infectivity: Rocaglamide Inhibits HIV-1 Replication by Altering Gag-Genomic RNA Interaction. *Viruses* 2024, 16, 1506. doi.org/10.3390/v16091506
- Rouf Banday A, Onabajo OO, Lin SH, Obajemu A, Vargas JM, Delviks-Frankenberry KA, Lamy P, Bayanjargal A, Zettelmeyer C, Florez-Vargas O, Pathak VK, Dyrskjøt L, Prokunina-Olsson L. Targeting natural splicing plasticity of APOBEC3B restricts its expression and mutagenic activity. *Commun Biol.* 2021 Mar 22;4(1):386. doi: [10.1038/s42003-021-01844-5](https://doi.org/10.1038/s42003-021-01844-5). PMID: 33753867; PMCID: PMC7985488.
- Roy CN, Benitez Moreno MA, Kline C, Ambrose Z. CG Dinucleotide Removal in Bioluminescent and Fluorescent Reporters Improves HIV-1 Replication and Reporter Gene Expression for Dual Imaging in Humanized Mice. *J Virol.* 2021 Sep 9;95(19):e0044921. doi: [10.1128/JVI.00449-21](https://doi.org/10.1128/JVI.00449-21). Epub 2021 Sep 9. PMID: 34232063; PMCID: PMC8428378.
- Sáez-Cirión, A., Mamez, AC., Avettand-Fenoel, V. et al. Sustained HIV remission after allogeneic hematopoietic stem cell transplantation with wild-type CCR5 donor cells. *Nat Med* (2024). <https://doi.org/10.1038/s41591-024-03277-z>
- Saleem, K., Xiao, Z., Zhu, B. et al. Elevated SGK1 increases Tau phosphorylation and microtubule instability in Alzheimer's patient-derived cortical neurons. *Mol Psychiatry* (2025). <https://doi.org/10.1038/s41380-025-03225-4>
- Saulle, Irma,; Ibba, Salomè Valentina,; Vittori, Cecilia; Fenizia, Claudio; Mercurio, Vincenzo; Vichi, Francesca; Caputo, Sergio Lo; Trabattoni, Daria; Clerici, Mario; Biasin, Mara Sterol metabolism modulates susceptibility to HIV-1 Infection, *AIDS*: September 1, 2020 - Volume 34 - Issue 11 - p 1593-1602, <https://doi.org/10.1097/qad.0000000000002591>
- Singh G, Seufzer B, Song Z, Zucko D, Heng X, Boris-Lawrie K. HIV-1 hypermethylated guanosine cap licenses specialized translation unaffected by mTOR. *Proc Natl Acad Sci U S A.* 2022 Jan 4;119(1):e2105153118. doi: [10.1073/pnas.2105153118](https://doi.org/10.1073/pnas.2105153118). PMID: 34949712; PMCID: PMC8740576.

- Skipper KA, Nielsen MG, Andersen S, Ryø LB, Bak RO, Mikkelsen JG. Time-Restricted PiggyBac DNA Transposition by Transposase Protein Delivery Using Lentivirus-Derived Nanoparticles. *Mol Ther Nucleic Acids*. 2018 Jun 1;11:253-262. doi: [10.1016/j.omtn.2018.02.006](https://doi.org/10.1016/j.omtn.2018.02.006). Epub 2018 Mar 30. PMID: 29858060; PMCID: PMC5992343.
- Song, B.; Korolkova, O. Bafilomycin A1 Inhibits HIV-1 Infection by Disrupting Lysosomal Cholesterol Transport. *Viruses* 2024, 16, 1374. <https://doi.org/10.3390/v16091374>
- Spillings BL, Mak J. Protocol to quantify glycan-mediated binding between viral particles and human peripheral blood mononuclear cells using nanoluciferase. *STAR Protoc*. 2023 Oct 26;4(4):102672. <https://doi.org/10.1016/j.xpro.2023.102672>. Epub ahead of print. PMID: 37889756.
- Spillings BL, Day CJ, Garcia-Minambres A, Aggarwal A, Condon ND, Haselhorst T, Purcell DFJ, Turville SG, Stow JL, Jennings MP, Mak J. Host glycocalyx captures HIV proximal to the cell surface via oligomannose-GlcNAc glycan-glycan interactions to support viral entry. *Cell Rep*. 2022 Feb 1;38(5):110296. doi: [10.1016/j.celrep.2022.110296](https://doi.org/10.1016/j.celrep.2022.110296). PMID: 35108536.
- Stevens CS, Carmichael JC, Watkinson R, Kowdle S, Reis RA, Hamane K, Jang J, Park A, Pernet O, Khamaikawin W, Hong P, Thibault P, Gowlikar A, An DS, Lee B. A temperature-sensitive and less immunogenic Sendai virus for efficient gene editing. *J Virol*. 2024 Nov 4:e0083224. doi: [10.1128/jvi.00832-24](https://doi.org/10.1128/jvi.00832-24).
- Stoy C, Sundaram A, Rios Garcia M, Wang X, Seibert O, Zota A, Wendler S, Männle D, Hinz U, Sticht C, Muciek M, Gretz N, Rose AJ, Greiner V, Hofmann TG, Bauer A, Hoheisel J, Berriel Diaz M, Gaida MM, Werner J, Schafmeier T, Strobel O, Herzig S. Transcriptional co-factor Transducin beta-like (TBL) 1 acts as a checkpoint in pancreatic cancer malignancy. *EMBO Mol Med*. 2015 Aug;7(8):1048-62. doi: [10.15252/emmm.201404837](https://doi.org/10.15252/emmm.201404837). PMID: 26070712; PMCID: PMC4551343.
- Sugden, Scott M., Tram N. Q. Pham, and Éric A. Cohen. "HIV-1 Vpu Downmodulates ICAM-1 Expression, Resulting in Decreased Killing of Infected CD4⁺ T Cells by NK Cells." Ed. Wesley I. Sundquist. *Journal of Virology* 91.8 (2017): e02442–16. *PMC*. <https://doi.org/10.1128%2FJVI.02442-16>
- Takano KA, Wong AAL, Brown R, Situ K, Chua BA, Abu AE, Pham TT, Reyes GC, Ramachandran S, Kamata M, Li MMH, Wu TT, Rao DS, Arumugaswami V, Dorshkind K, Cole S, Morizono K. Envelope protein-specific B cell receptors direct lentiviral vector tropism in vivo. *Mol Ther*. 2024 May 1;32(5):1311-1327. doi: [10.1016/j.ymthe.2024.03.002](https://doi.org/10.1016/j.ymthe.2024.03.002). Epub 2024 Mar 6. PMID: 38449314; PMCID: PMC11081870.

- Taus, E. A. (2022). Defining Antiviral T Cell Responses Elicited by Vaccines versus Infection in HIV-1 and in SARS-CoV-2. *UCLA*. ProQuest ID: Taus_ucla_0031D_21172. Merritt ID: ark:/13030/m5gn5gg7. Retrieved from <https://escholarship.org/uc/item/4cz5w8ns>
- Terry SN, Manganaro L, Cuesta-Dominguez A, Brnzevich D, Simon V, Mulder LCF. Expression of HERV-K108 envelope interferes with HIV-1 production. *Virology*. 2017 Sep;509:52-59. doi: [10.1016/j.virol.2017.06.004](https://doi.org/10.1016/j.virol.2017.06.004). Epub 2017 Jun 9. PMID: 28605635; PMCID: PMC5538378.
- Terzieva, Velislava I., et al. "IFN- γ Attenuates Spontaneous Lymphocyte Proliferation by Fuelling Regulatory T Cells in HIV-1-Infected Patients." *Viral Immunology*, vol. 30, no. 3, 1 Apr. 2017, pp. 157–166., <https://doi.org/10.1089/vim.2016.0075>
- Thomsen EA, Skipper KA, Andersen S, Haslund D, Skov TW, Mikkelsen JG. CRISPR-Cas9-directed gene tagging using a single integrase-defective lentiviral vector carrying a transposase-based Cas9 off switch. *Mol Ther Nucleic Acids*. 2022 Aug 4;29:563-576. doi: [10.1016/j.omtn.2022.08.005](https://doi.org/10.1016/j.omtn.2022.08.005). PMID: 36090759; PMCID: PMC9403905.
- Tietjen I, Ntie-Kang F, Mwimanzi P, Onguéné PA, Scull MA, Idowu TO, Ogundaini AO, Meva'a LM, Abegaz BM, Rice CM, Andrae-Marobela K, Brockman MA, Brumme ZL, Fedida D. Screening of the Pan-African natural product library identifies ixoratannin A-2 and boldine as novel HIV-1 inhibitors. *PLoS One*. 2015 Apr 1;10(4):e0121099. doi: [10.1371/journal.pone.0121099](https://doi.org/10.1371/journal.pone.0121099). PMID: 25830320; PMCID: PMC4382154.
- Tietjen I, Schonhofer C, Sciorillo A, Naidu ME, Haq Z, Kannan T, Kossenkov AV, Rivera-Ortiz J, Mounzer K, Hart C, Gyampoh K, Yuan Z, Beattie KD, Rali T, Shuda McGuire K, Davis RA, Montaner LJ. The Natural Stilbenoid (-)-Hopeaphenol Inhibits HIV Transcription by Targeting Both PKC and NF- κ B Signaling and Cyclin-Dependent Kinase 9. *Antimicrob Agents Chemother*. 2023 Mar 28:e0160022. <https://doi.org/10.1128/aac.01600-22>. Epub ahead of print. PMID: 36975214.
- Upadhyay C, Feyznezhad R, Yang W, Zhang H, Zolla-Pazner S, Hioe CE. Alterations of HIV-1 envelope phenotype and antibody-mediated neutralization by signal peptide mutations. *PLoS Pathog*. 2018 Jan 25;14(1):e1006812. doi: [10.1371/journal.ppat.1006812](https://doi.org/10.1371/journal.ppat.1006812). PMID: 29370305; PMCID: PMC5800646.
- Vernekar V, Velhal S, Bandivdekar A. Evaluation of cystatin C activities against HIV. *Indian J Med Res*. 2015 Apr;141(4):423-30. doi: [10.4103/0971-5916.159282](https://doi.org/10.4103/0971-5916.159282). PMID: 26112843; PMCID: PMC4510722.

- Violaine Delorme-Walker, Kaylin Au, Wei Ling Lim et al. Contrasting cannabinoid receptor 2 (CB2R)-mediated responses in two different models of Blood Brain Barrier in the context of HIV, 09 December 2025, PREPRINT (Version 1) available at Research Square <https://doi.org/10.21203/rs.3.rs-8310572/v1>
- Vogiatzis, S.; Celestino, M.; Trevisan, M.; Magro, G.; Del Vecchio, C.; Erdengiz, D.; Palù, G.; Parolin, C.; Maguire-Zeiss, K.; Calistri, A. Lentiviral Vectors Expressing Chimeric NEDD4 Ubiquitin Ligases: An Innovative Approach for Interfering with Alpha-Synuclein Accumulation. *Cells* 2021, 10, 3256. <https://doi.org/10.3390%2Fcells10113256>
- Wang T, Zhang M, Zhou H, Cui D, Xu X, Sun C, Dai Y, Cheng J. Establishment and evaluation of a general dissociation technique for antibodies in circulating immune complexes. *Clin Exp Med*. 2019 Feb;19(1):65-75. doi: [10.1007/s10238-018-0523-4](https://doi.org/10.1007/s10238-018-0523-4). Epub 2018 Aug 17. PMID: 30120614; PMCID: PMC6394588.
- Wei W, Guo H, Ma M, Markham R, Yu XF. Accumulation of MxB/Mx2-resistant HIV-1 Capsid Variants During Expansion of the HIV-1 Epidemic in Human Populations. *EBioMedicine*. 2016 Jun;8:230-236. doi: [10.1016/j.ebiom.2016.04.020](https://doi.org/10.1016/j.ebiom.2016.04.020). Epub 2016 Apr 17. PMID: 27428433; PMCID: PMC4919602.
- Wholey WY, Meyer AR, Yoda ST, Chackerian B, Zikherman J, Cheng W. Minimal Determinants for Lifelong Antiviral Antibody Responses in Mice from a Single Exposure to Virus-like Immunogens at Low Doses. *Vaccines (Basel)*. 2024 Apr 11;12(4):405. doi: [10.3390/vaccines12040405](https://doi.org/10.3390/vaccines12040405). PMID: 38675787; PMCID: PMC11054763.
- Wholey WY, Meyer AR, Yoda ST, Mueller JL, Mathenge R, Chackerian B, Zikherman J, Cheng W. An integrated signaling threshold initiates IgG response towards virus-like immunogens. *bioRxiv* [Preprint]. 2024 Jan 31:2024.01.28.577643. doi: [10.1101/2024.01.28.577643](https://doi.org/10.1101/2024.01.28.577643). PMID: 38469153; PMCID: PMC10926662.
- Wholey, Wei-Yun, et al. "Mechanisms of neutralizing antibody response probed using synthetic virus-like structures" *bioRxiv* 2023.02.20.529089; doi: <https://doi.org/10.1101/2023.02.20.529089>
- Wholey WY, Yoda ST, Cheng W. Site-Specific and Stable Conjugation of the SARS-CoV-2 Receptor-Binding Domain to Liposomes in the Absence of Any Other Adjuvants Elicits Potent Neutralizing Antibodies in BALB/c Mice. *Bioconjug Chem*. 2021 Dec 15;32(12):2497-2506. doi: [10.1021/acs.bioconjchem.1c00463](https://doi.org/10.1021/acs.bioconjchem.1c00463). Epub 2021 Nov 14. PMID: 34775749; PMCID: PMC8918018.

- Yelamanchili SV, Morsey B, Harrison EB, Rennard DA, Emanuel K, Thapa I, Bastola DR, Fox HS. The evolutionary young miR-1290 favors mitotic exit and differentiation of human neural progenitors through altering the cell cycle proteins. *Cell Death Dis.* 2014 Jan 9;5(1):e982. doi: [10.1038/cddis.2013.498](https://doi.org/10.1038/cddis.2013.498). PMID: 24407235; PMCID: PMC4040694.
- Yin C, Zhang T, Qu X, Zhang Y, Putatunda R, Xiao X, Li F, Xiao W, Zhao H, Dai S, Qin X, Mo X, Young WB, Khalili K, Hu W. In Vivo Excision of HIV-1 Provirus by saCas9 and Multiplex Single-Guide RNAs in Animal Models. *Mol Ther.* 2017 May 3;25(5):1168-1186. doi: [10.1016/j.ymthe.2017.03.012](https://doi.org/10.1016/j.ymthe.2017.03.012). Epub 2017 Mar 30. PMID: 28366764; PMCID: PMC5417847.
- Young GR, Terry SN, Manganaro L, Cuesta-Dominguez A, Deikus G, Bernal-Rubio D, Campisi L, Fernandez-Sesma A, Sebra R, Simon V, Mulder LCF. HIV-1 Infection of Primary CD4+ T Cells Regulates the Expression of Specific Human Endogenous Retrovirus HERV-K (HML-2) Elements. *J Virol.* 2017 Dec 14;92(1):e01507-17. doi: [10.1128/JVI.01507-17](https://doi.org/10.1128/JVI.01507-17). PMID: 29046457; PMCID: PMC5730760.
- Yuvraj, K.C., Singh, A., Datta, S. et al. C-28 linker length modulates the activity of second-generation HIV-1 maturation inhibitors. *Virol J* 22, 20 (2025). <https://doi.org/10.1186/s12985-025-02635-8>
- Zhang, Y., Ozono, S., Yao, W. *et al.* CRISPR-mediated activation of endogenous BST-2/tetherin expression inhibits wild-type HIV-1 production. *Sci Rep* 9, 3134 (2019). <https://doi.org/10.1038/s41598-019-40003-z>
- Ziegler SJ, Liu C, Landau M, Buzovetsky O, Desimmie BA, Zhao Q, Sasaki T, Burdick RC, Pathak VK, Anderson KS, Xiong Y. Insights into DNA substrate selection by APOBEC3G from structural, biochemical, and functional studies. *PLoS One.* 2018 Mar 29;13(3):e0195048. doi: [10.1371/journal.pone.0195048](https://doi.org/10.1371/journal.pone.0195048). PMID: 29596531; PMCID: PMC5875850.

HIV-1 Integrase Kit (EZ-1700)

- Bourquin RA, Sorenson AE, Schaeffer PM. High-performance hairpin-whiptail DNA target for HIV-1 integrase assay. *Int J Biol Macromol.* 2025 Jun 10:145195. doi: [10.1016/j.ijbiomac.2025.145195](https://doi.org/10.1016/j.ijbiomac.2025.145195).
- Chen, Huan, et al. "Anti-HIV Activities and Mechanism of 12-O-Tricosanoylphorbol-20-acetate, a Novel Phorbol Ester from *Ostodes katharinae*" *Molecules* 22:9 (2017):1498. <https://doi.org/10.3390%2Fmolecules22091498>
- Gaikwad SY, Tyagi S, Seniya C, More A, Chandane-Tak M, Kumar S, Mukherjee A. A nanoemulsified formulation of dolutegravir and epigallocatechin gallate inhibits HIV-1 replication in cellular models. *FEBS Lett.* 2024 May 24. <https://doi.org/10.1002/1873-3468.14936>. Epub ahead of print. PMID: 38789398.

- Habashy NH, Hamouda AF, Abu Serie MM. Identification of effective anti-HCV and anti-HIV royal jelly constituents and their acute toxicity evaluation in Albino rats. *Food Chem Toxicol.* 2023 Nov 8;114170. <https://doi.org/10.1016/j.fct.2023.114170>
- Immel JR, Chen PH, McDonald P, Roy A, Johnson D, Bloom S. A Priori Design, Combinatorial Synthesis, and Assessment of an Antipackaging Peptide Against Human Immunodeficiency Virus 1: Functional Role of Unnatural Trp Mimetics and Serendipitous Discovery of a Protease Inhibitor. *ChemMedChem.* 2026 Jul 14;21(13):e70372. doi: [10.1002/cmdc.70372](https://doi.org/10.1002/cmdc.70372)
- Jadaun, P., Harshithkumar, R., Gaikwad, S.Y. et al. Withania somnifera extracts induced attenuation of HIV-1: a mechanistic approach to restrict viral infection. *Viol J* 20, 173 (2023). <https://doi.org/10.1186/s12985-023-02130-y>
- Kim, MJ., Kim, S.H., Park, J.A. et al. Identification and characterization of a new type of inhibitor against the human immunodeficiency virus type-1 nucleocapsid protein. *Retrovirology* 12, 90 (2015). <https://doi.org/10.1186/s12977-015-0218-9>
- Kim, Byung Soo et al. "Identification of a novel type of small molecule inhibitor against HIV-1." *BMB reports* vol. 48,2 (2015): 121-6. <https://doi.org/10.5483/bmbrep.2015.48.2.239>
- Leite DI, Macedo FB, Lima MMC, Brum IS, Oliveira JFM, Costa ACS, Duarte SC, Moon S, Moura SCB, Oliveira AP, Boechat N, Bastos MM. A Review on Medicinal Chemistry and Biological Activity of Dihydropyrimidinones Against HIV. *Arch Pharm (Weinheim).* 2026 Apr;359(4):e70238. doi: [10.1002/ardp.70238](https://doi.org/10.1002/ardp.70238).
- Liu, J.; Wei, Q.; Liu, X.; Chen, J.; Zhan, Y.; Li, Q.; Wang, Q.; Liang, B.; Jiang, J.; Qin, F.; et al. Two Disaccharide-Bearing Polyethers, K-41B and K-41Bm, Potently Inhibit HIV-1 via Mechanisms Different from That of Their Precursor Polyether, K-41A. *Curr. Issues Mol. Biol.* 2024, 46, 13482-13498. <https://doi.org/10.3390/cimb46120805>
- Ma, M.-D.; Luo, R.-H.; Li, C.-Y.; Huang, G.-C.; Long, X.-Y.; He, F.-Y.; Yang, L.-M.; Fu, H.-L.; Zheng, Y.-T. Anti-HIV-1 Activity of the Integrase Strand Transfer Inhibitor ACC017. *Viruses* 2026, 18, 33. <https://doi.org/10.3390/v18010033>
- Nafiseh Karimi, Amirreza Dowlati Beirami, Rouhollah Vahabpour Roudsari, Zahra Hajimahdi, Afshin Zarghi, Design, synthesis, molecular dynamics studies and biological evaluations of 4-hydroxy-5-pyrrolinone-3-carbohydrazides as HIV-1 integrase inhibitors, *European Journal of Medicinal Chemistry Reports*, Volume 12, 2024, 100208, ISSN 2772-4174, <https://doi.org/10.1016/j.ejmcr.2024.100208>

- Nutan, Modi M, Dezzutti CS, Kulshreshtha S, Rawat AK, Srivastava SK, Malhotra S, Verma A, Ranga U, Gupta SK. Extracts from *Acacia catechu* suppress HIV-1 replication by inhibiting the activities of the viral protease and Tat. *Virol J*. 2013 Oct 18;10:309. doi: [10.1186/1743-422X-10-309](https://doi.org/10.1186/1743-422X-10-309). PMID: 25228267; PMCID: PMC3819669.
- Nutan et al. "Ellagic acid & gallic acid from *Lagerstroemia speciosa* L. inhibit HIV-1 infection through inhibition of HIV-1 protease & reverse transcriptase activity." *The Indian journal of medical research* vol. 137,3 (2013): 540-8. <http://www.ncbi.nlm.nih.gov/pmc/articles/pmc3705663/>
- Park, K.H., Kim, M., Bae, S.E. *et al.* Study on suitable analysis method for HIV-1 non-catalytic integrase inhibitor. *Virol J* 18, 17 (2021). <https://doi.org/10.1186/s12985-020-01476-x>
- Rakshit, Smita et al. "Role of diosgenin extracted from *Helicteres isora* L in suppression of HIV-1 replication: An in vitro preclinical study." *Heliyon* 10 (2024) e24350. <https://doi.org/10.1016/j.heliyon.2024.e24350>
- Rotich, W.; Mas-Claret, E.; Sadgrove, N.; Guantai, A.; Padilla-González, G.F.; Langat, M.K. HIV-1 Integrase Inhibitory Effects of Major Compounds Present in CareVid™: An Anti-HIV Multi-Herbal Remedy. *Life* 2022, 12, 417. <https://doi.org/10.3390/life12030417>
- Sala M, Spensiero A, Esposito F, Scala MC, Vernieri E, Bertamino A, Manfra M, Carotenuto A, Grieco P, Novellino E, Cadeddu M, Tramontano E, Schols D, Campiglia P, Gomez-Monterrey IM. Development and Identification of a Novel Anti-HIV-1 Peptide Derived by Modification of the N-Terminal Domain of HIV-1 Integrase. *Front Microbiol*. 2016 Jun 10;7:845. doi: [10.3389/fmicb.2016.00845](https://doi.org/10.3389/fmicb.2016.00845). PMID: 27375570; PMCID: PMC4901077.
- Samarasimhareddy, Mamidi et al. "A Rapid and Efficient Building Block Approach for Click Cyclization of Peptoids." *Frontiers in chemistry* vol. 8 405. 19 May. 2020, <https://doi.org/10.3389/fchem.2020.00405>
- Sayyed, S.K.; Quraishi, M.; Prabakaran, D.S.; Chandrasekaran, B.; Ramesh, T.; Rajasekharan, S.K.; Raorane, C.J.; Sonawane, T.; Ravichandran, V. Exploring Zinc C295 as a Dual HIV-1 Integrase Inhibitor: From Strand Transfer to 3'-Processing Suppression. *Pharmaceuticals* 2025, 18, 30. <https://doi.org/10.3390/ph18010030>
- Shin, Y., Park, C.M., Kim, H.G. *et al.* Identification of Aristolactam Derivatives That Act as Inhibitors of Human Immunodeficiency Virus Type 1 Infection and Replication by Targeting Tat-Mediated Viral Transcription. *Virol. Sin.* (2020). <https://doi.org/10.1007/s12250-020-00274-7>
- Yu, KL., Shin, Y., Kim, DE. *et al.* Identification of a novel small-molecule inhibitor of the HIV-1 reverse transcriptase activity with a non-nucleoside mode of action. *Virol J* 22, 65 (2025). <https://doi.org/10.1186/s12985-025-02680-3>

Wadhwa, Pankaj, et al. "Design, Synthesis and In Vitro Evaluation of 4-Oxo-6-Substituted Phenyl- 2-Thioxo1,2,3,4-Tetrahydropyrimidine-5-Carbonitrile Derivatives as HIV Integrase Strand Transfer Inhibitors." *Letters in Drug Design & Discovery*, vol. 18, no. 4, 2021, pp. 387–395., <https://doi.org/10.2174/1570180817999201022193325>

HIV-1 Integrase Antibody (AB-INT100)

Takahata, Tatsuro et al. "Critical Contribution of Tyr15 in the HIV-1 Integrase (IN) in Facilitating IN Assembly and Nonenzymatic Function through the IN Precursor Form with Reverse Transcriptase." Ed. Karen L. Beemon. *Journal of Virology* 91.1 (2017): e02003–16. *PMC*. Web. 29 Aug. 2018.

HIV-1 RT Kit (RT-1000)

R.Z. Batran, A. Sabt, M.A. Khedr, A.K. Allayeh, C. Pannecouque, A.F. Kassem, 4-Phenylcoumarin derivatives as new HIV-1 NNRTIs: Design, synthesis, biological activities, and computational studies, *Bioorganic Chemistry* (2023), doi: <https://doi.org/10.1016/j.bioorg.2023.106918>

Zhang X, Sun L, Walsham L, Ma Y, Ding D, Wang M, Zhao F, Zhang J, Wang Z, Xu S, Jiang X, Zhou Y, De Clercq E, Pannecouque C, Chen CH, Goldstone DC, Liu X, Dick A, Zhan P. Discovery of 4-Quinazolinone-Containing Phenylalanine Derivatives as Potent, Resistant-Tolerant HIV Capsid Inhibitors. *MedComm* (2020). 2026 May 3;7:e70746. doi: [10.1002/mco2.70746](https://doi.org/10.1002/mco2.70746)